

CB1-S Female Mating Cable Set Specifications


MCS-CB1-S6.....Page 2

MCS-CB1-S16.....Page 3

MCS-CB190-S6.....Page 4

MCS-CB190-S16.....Page 5

Other lengths and configurations available, contact us for more information.




MCS-CB1-S6

CB1 Mating Cable Set, 4 Pin, with molded shielded 22AWG 105C PVC, 6 ft

CB1-S6, Female 12mm 4 Pin w/ 6' Shielded Cable

MICRO CHANGE 12MM PROXIMITY SENSOR CABLE

PIN 1: BROWN
PIN 2: WHITE
PIN 3: BLUE
PIN 4: BLACK



Rev B

MATES WITH CB1 AND CB2 SENSORS

DIM=INCH


MCS-CB1-S16

CB1 Mating Cable Set, 4 Pin, with molded shielded 22AWG 105C PVC, 16 ft

CB1-S16, Female 12mm 4 Pin w/ 16' Shielded Cable

MICRO CHANGE 12MM PROXIMITY SENSOR CABLE

PIN 1: BROWN
PIN 2: WHITE
PIN 3: BLUE
PIN 4: BLACK



Rev C

MATES WITH CB1 AND CB2 SENSORS

DIM=INCH

Sensor Solutions Corp. • V: (970) 879-9900 F: (970) 879-9700 • www.sensorso.com • 05/15/09 • Rev C


MCS-CB190-S6

CB1 Mating Cable Set, 4 Pin, with molded shielded 22AWG 105C PVC, 6 ft

CB190-S6, Female 12mm 4 Pin 90° w/ 6' Shielded Cable

MICRO CHANGE 12MM PROXIMITY SENSOR CABLE

PIN 1: BROWN
PIN 2: WHITE
PIN 3: BLUE
PIN 4: BLACK



Sensor Solutions Corp. • V: (970) 879-9900 F: (970) 879-9700 • www.sensorso.com • 05/15/09 • Rev B


MCS-CB190-S16

CB1 Mating Cable Set, 4 Pin, 90 deg., with molded shielded 22AWG 105C PVC, 16 ft

CB190-S16, Female 12mm 4 Pin 90° w/ 16' Shielded Cable

MICRO CHANGE 12MM PROXIMITY SENSOR CABLE

PIN 1: BROWN
PIN 2: WHITE
PIN 3: BLUE
PIN 4: BLACK



Sensor Solutions Corp. • V: (970) 879-9900 F: (970) 879-9700 • www.sensorso.com • 2/10/10 • Rev C